

Your COVID-19 test result

NEGATIVE

A negative result for this test means that SARS-CoV-2 RNA (the cause of COVID-19) was not detected in the collection sample.



What does it mean to have a **negative** test result?

A negative test result does not completely rule out being infected with COVID-19.

If you test negative for COVID-19, this means the virus was not detected at the time your specimen was collected. It is still possible that you were very early in your infection at the time of your specimen collection and that you could test positive later.

Also, you could be exposed later and still develop the illness. For all these reasons, it is important to follow CDC guidance, including but not limited to frequent hand washing, social distancing, wearing a face covering, covering coughs and sneezes, monitoring symptoms, and cleaning and disinfectant of frequently touched surfaces - even after a negative test result.



Test information

Patient's name

Cassidy Cichowicz

Collection date

November 27, 2020 at 12:10 PM ET

Patient's date of birth

June 18, 1994

Collection location

220 FAIRVIEW LANE, CARSON CITY, NV
89701

Test type

SARS-COV-2 RNA, QL, RT PCR (COVID-19)

Provider

BAILEY JENNIFER



MinuteClinic contact information

Customer Service: (886) 389-2727

Your COVID-19 test result

NEGATIVE

A negative result for this test means that SARS-CoV-2 RNA (the cause of COVID-19) was not detected in the collection sample.

Legal Disclaimer

A Not Detected (negative) test result for this test means that SARS- CoV-2 RNA was not present in the specimen above the limit of detection. A negative result does not rule out the possibility of COVID-19 and should not be used as the sole basis for treatment or patient management decisions. If COVID-19 is still suspected, based on exposure history together with other clinical findings, re-testing should be considered in consultation with public health authorities. Laboratory test results should always be considered in the context of clinical observations and epidemiological data in making a final diagnosis and patient management decisions.

Please review the "Fact Sheets" and FDA authorized labeling available for health care providers and patients using the following websites:

<https://www.questdiagnostics.com/home/Covid-19/HCP/QuestIVD/fact-sheet.html>

<https://www.questdiagnostics.com/home/Covid-19/Patients/QuestIVD/fact-sheet.html>

This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories.

Due to the current public health emergency, Quest Diagnostics is receiving a high volume of samples from a wide variety of swabs and media for COVID-19 testing. In order to serve patients during this public health crisis, samples from appropriate clinical sources are being tested. Negative test results derived from specimens received in non-commercially manufactured viral collection and transport media, or in media and sample collection kits not yet authorized by FDA for COVID-19 testing should be cautiously evaluated and the patient potentially subjected to extra precautions such as additional clinical monitoring, including collection of an additional specimen.

Methodology: Nucleic Acid Amplification Test (NAAT) includes RT-PCR or TMA

Additional information about COVID-19 can be found at the Quest Diagnostics website: www.QuestDiagnostics.com/Covid19.